

## Lebensmittelrechtliche Konformitätserklärung

**Für unseren Artikel:**

**Bagasse Teller weiß oval 263x199x20mm**

**mit der folgenden Artikel-Nummer:**

**280020**

Hiermit bestätigen wir auf der Grundlage der uns vorliegenden Lebensmittelunbedenklichkeitserklärung des Produzenten, dass die von uns oben genannten Artikel für den Kontakt mit Lebensmitteln geeignet sind und den dafür vorgesehenen Gesetzen sowie Richtlinien entsprechen.

Zum eigenen Schutz unserer Lieferquellen sind Vorlieferant und Untersuchungslabor sowie dritte beteiligte Personen unkenntlich gemacht. Die uns vorliegende Originalerklärung kann den zuständigen Behörden auf Verlangen zur Verfügung gestellt werden.

Unsere Bestätigung setzt voraus, dass der Packstoff sachgemäß weiterverarbeitet wird. Die spezielle Eignung dieses Packstoffes kann nur vom sachkundigen Füllguterzeuger oder Abpacker beurteilt werden.

Diese Konformitätserklärung ersetzt zuvor ausgestellte Konformitätserklärungen und besitzt eine allgemeine Gültigkeit ab Ausstellungsdatum bzw. bis zur Änderung der Gesetzeslage.

Göttingen, den 14.12.2023

**Nette GmbH**  
Göttingen  


## Lebensmittelunbedenklichkeitserklärung des Lieferanten:

\*\*\*ANFANG LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN\*\*\*

### DECLARATION OF COMPLIANCE

This is to certify that we \_\_\_\_\_ are the manufacturer of the sugarcane tableware.

The sugarcane tableware is intended to be put in contact with:  
Dry / Aqueous / Acidic till 80% in vol. Oily foodstuff. Maximum temperature for 100°C oil and 100 °C water resistant for a period of 1 hour.

The sugarcane tableware complies with the below EU Directives:

- EU Regulation 1935/2004/EC on materials and articles intended to come into contact with food.
- EU Regulation 2023/2006/EC on good manufacturing practice for materials and articles intended to come into contact with food.

2023/12/14

Nette GmbH  
Elliehäuser Weg 7-11, 37079 Göttingen  
Telefon: +49 551 69 47-0  
Telefax: +49 551 69 47-27  
E-Mail: [info@nette-deutschland.de](mailto:info@nette-deutschland.de)

Niederlassung Leipzig  
Oststraße 5, 06231 Bad Dürrenberg OT Nempitz  
Telefon: +49 3462 542 65-0  
Telefax: +49 3462 542 65-11  
E-Mail: [leipzig@nette-deutschland.de](mailto:leipzig@nette-deutschland.de)

Geschäftsführer: Dipl.-Kfm. Michael Nette  
Steuer-Nr.: 20/210/22840  
Amtsgericht Göttingen HRB 1028  
USt-Id-Nr.: DE249606280  
ZSVG-Nr.: DE 5544 530 633 838

Wir sind  
FSC®-zertifiziert.  
TUEV-COC-001347  
FSC® C144366  
Nur die als solche  
gekennzeichneten Artikel  
sind FSC®-zertifiziert.



[REDACTED]

Sample Description : 10" PLATE

Item No. : P005

Manufacturer : [REDACTED]

Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. [REDACTED] is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

Sample Receiving Date : May 04, 2023

Test Performing Date : May 04, 2023 to May 22, 2023

Test Performed : Selected test(s) as requested by applicant

Test Result(s) : For further details, please refer to the following page(s)

I. [REDACTED] Ref No.: CANHG2306540501

## Result Summary :

## Test Requested

## Conclusion

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245

See Results

Regulation – Overall migration

French Décret 2007-766 with amendments and DGCCRF MCDA n°4 (V02 – 01/01/2019) –Extractable heavy metals

PASS

Extractable MOSH and MOAH

See Results

Mineral oil

See Results

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, and DGCCRF MCDA n°4 (V02 – 01/01/2019) -Extractable Primary Aromatic Amine

PASS

## Test Result(s) :

## Test Part Description :

| Specimen No. | Sample ID        | Description       | Material<br>(claimed by the client) |
|--------------|------------------|-------------------|-------------------------------------|
| SN1          | CAN23-065405.001 | White paper plate | Paper                               |

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation – Overall migration**

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;  
or EN 1186-3:2022 Test methods for overall migration in evaporable simulants;

| Simulant Used     | Time     | Temperature | Max. Permissible<br>Limit | Result of 001<br>Overall Migration |
|-------------------|----------|-------------|---------------------------|------------------------------------|
| 10% Ethanol (V/V) | 2.0hr(s) | 70°C        | 10mg/dm <sup>2</sup>      | <3.0mg/dm <sup>2</sup>             |
| 95% Ethanol       | 2.0hr(s) | 60°C        | 10mg/dm <sup>2</sup>      | 6.5mg/dm <sup>2</sup>              |
| Isooctane         | 0.5hr(s) | 40°C        | 10mg/dm <sup>2</sup>      | 5.7mg/dm <sup>2</sup>              |
| Area/Volume       |          |             | -                         | 8.8dm <sup>2</sup> /kg             |

## Notes :

- 1.mg/dm<sup>2</sup> = milligram per square decimeter  
mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius
- 3.Analytical tolerance of evaporable simulants is 2 mg/dm<sup>2</sup> or 12 mg/kg.
- 4.Analytical tolerance of olive oil simulant is 3 mg/dm<sup>2</sup> or 20 mg/kg.
- 5.Report the first migration result
- 6.Limit = Reference limit. The test sample is out of scope of the standard.

**French Décret 2007-766 with amendments and DGCCRF MCDA n°4 (V02 – 01/01/2019) –Extractable heavy metals**

Test Method : With reference to EN647:1993 (hot water extraction), analysis was performed by ICP-MS

**Sample 001**

| <u>Test Item(s)</u> | <u>Max. Permissible</u><br><u>Limit</u> | <u>Unit</u> | <u>MDL</u> | <u>Test result</u> |
|---------------------|-----------------------------------------|-------------|------------|--------------------|
| Extractable Lead    | 0.01                                    | mg/kg       | 0.005      | ND                 |
| Extractable Mercury | 0.003                                   | mg/kg       | 0.002      | ND                 |
| <b>Comment</b>      |                                         |             |            | <b>PASS</b>        |

## Notes :

1. mg/kg = milligram per kilogram
2. MDL=Method Detection Limit
3. ND = Not Detected(less than MDL)

**Extractable MOSH and MOAH**

Test Method : With reference to EN645:1993, analysis was performed by GC-FID & GC-MS.

| <u>Test Item(s)</u> | <u>Unit</u> | <u>MDL</u> | <u>001</u> |
|---------------------|-------------|------------|------------|
| Extractable MOSH    | mg/kg       | 0.15       | ND         |
| Extractable MOAH    | mg/kg       | 0.15       | ND         |

## Notes :

1. mg/kg = milligram per kilogram of foodstuff in contact with
2. MDL=Method Detection Limit
3. ND = Not Detected(less than MDL)

**Mineral oil**

Test Method : With reference to JRC GL 2019(JRC115694), analysis was performed by GC-FID/MS.

| <u>Test Item(s)</u>      | <u>Unit</u> | <u>MDL</u> | <u>001</u> |
|--------------------------|-------------|------------|------------|
| MOSH(C16-C35)            | mg/kg       | 5          | 287        |
| MOAH(1-7 aromatic rings) | mg/kg       | 5          | ND         |
| MOAH(3-7 aromatic rings) | mg/kg       | 1          | ND         |

## Notes :

1. mg/kg = milligram per kilogram
2. MDL=Method Detection Limit
3. ND = Not Detected(less than MDL)

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, and DGCCRF MCDA n°4 (V02 – 01/01/2019) -Extractable Primary Aromatic Amine**


Test Method : With reference to EN 647:1993 (hot water extraction) . Analysis was performed by UV-Vis.

| <u>Test Item(s)</u>                | <u>Limit</u> | <u>Unit</u> | <u>MDL</u> | <u>001</u>  |
|------------------------------------|--------------|-------------|------------|-------------|
| Extractable Primary Aromatic Amine | 0.01         | mg/kg       | 0.002      | ND          |
| <b>Comment</b>                     |              |             |            | <b>PASS</b> |

## Notes :

- 1.mg/kg = milligram per kilogram of foodstuff in contact with
  - 2.MDL=Method Detection Limit
  - 3.ND = Not Detected
  - 4.The ratio of sample weight to volume ratio is 40g per 1 kg of foodstuff
- Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( $w=0$ ) stated in ILAC-G8:09/2019.

Sample photo:



CAN23-065405.001

II. [REDACTED] Ref No.: CANHG2307050801

Result Summary :

**Test Requested**

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245  
Regulation – Overall migration

**Conclusion**

See Results

Test Result(s) :

Test Part Description :

| Specimen No. | [REDACTED] Sample ID | Description       | Material<br>(claimed by the client) |
|--------------|----------------------|-------------------|-------------------------------------|
| SN1          | CAN23-070508.001     | White paper plate | Paper                               |

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°3 (V03-09/09/2021) and (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation – Overall migration**

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;  
or EN 1186-3:2022 Test methods for overall migration in evaporable simulants;

| <u>Simulant Used</u> | <u>Time</u> | <u>Temperature</u> | <u>Max. Permissible</u><br><u>Limit</u> | <u>Result of 001</u><br><u>Overall Migration</u> |
|----------------------|-------------|--------------------|-----------------------------------------|--------------------------------------------------|
| 3% Acetic Acid (W/V) | 2.0hr(s)    | 70°C               | 10mg/dm <sup>2</sup>                    | 9.5mg/dm <sup>2</sup>                            |

Notes :

- 1.mg/dm<sup>2</sup> = milligram per square decimeter  
mg/kg = milligram per kilogram of foodstuff in contact with
  2. °C = degree Celsius
  - 3.Analytical tolerance of evaporable simulants is 2 mg/dm<sup>2</sup> or 12 mg/kg.
  - 4.Analytical tolerance of olive oil simulant is 3 mg/dm<sup>2</sup> or 20 mg/kg.
  - 5.Report the first migration result
  - 6.Limit = Reference limit. The test sample is out of scope of the standard.
- Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w =0) stated in ILAC-G8:09/2019.

Sample photo:



CAN23-070508.001



**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, French Décret 2007-766 with amendments, DGCCRF MCDA n°4 (V02 - 01/01/2019) - Specific Migration of Phthalates**

Test Method: With reference to EN 15519:2007, analysis was performed by GC-MS.  
95% Ethanol, 60 °C, 2 hours

| Test Item(s)                                         | CAS No.  | Limit | Unit(s) | RL    | 1           |
|------------------------------------------------------|----------|-------|---------|-------|-------------|
| Benzyl Butyl Phthalate(BBP)                          | 85-68-7  | 3     | mg/kg   | 0.05  | ND          |
| Bis-(2-ethylhexyl) Phthalate(DEHP)                   | 117-81-7 | 0.3   | mg/kg   | 0.05  | ND          |
| Dibutyl phthalate(DBP)+ Diisobutyl Phthalates (DIBP) | -        | 0.012 | mg/kg   | 0.005 | ND          |
| Diisononyl phthalate+Diisodecyl phthalate(DINP+DIDP) | -        | 0.9   | mg/kg   | 0.2   | ND          |
| <b>Comment</b>                                       |          |       |         |       | <b>Pass</b> |

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ( $w=0$ ) stated in ILAC-G8:09/2019.

**Sample Photo:**



\*\*\*End of Report\*\*\*

\*\*\*ENDE LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN\*\*\*