

Lebensmittelrechtliche Konformitätserklärung

Für unseren Artikel:

Deckel PP eckig 18x18cm 3x100St./Krt.

mit der folgenden Artikel-Nummer:

4851932

Hiermit bestätigen wir auf der Grundlage der uns vorliegenden Lebensmittelunbedenklichkeitserklärung des Produzenten, dass die von uns oben genannten Artikel für den Kontakt mit Lebensmitteln geeignet sind und den dafür vorgesehenen Gesetzen sowie Richtlinien entsprechen.

Zum eigenen Schutz unserer Lieferquellen sind Vorlieferant und Untersuchungslabor sowie dritte beteiligte Personen unkenntlich gemacht. Die uns vorliegende Originalerklärung kann den zuständigen Behörden auf Verlangen zur Verfügung gestellt werden.

Unsere Bestätigung setzt voraus, dass der Packstoff sachgemäß weiterverarbeitet wird. Die spezielle Eignung dieses Packstoffes kann nur vom sachkundigen Füllguterzeuger oder Abpacker beurteilt werden.

Diese Konformitätserklärung ersetzt zuvor ausgestellte Konformitätserklärungen und besitzt eine allgemeine Gültigkeit ab Ausstellungsdatum bis zum 21.08.2027 bzw. bis zur Änderung der Gesetzeslage.

Göttingen, den 21.08.2025

Nette GmbH
Göttingen
M. Nette

Lebensmittelunbedenklichkeitserklärung des Lieferanten:

ANFANG LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN

DECLARATION OF COMPLIANCE FOR MATERIALS AND ARTICLES INTENDED TO COME INTO CONTACT WITH FOOD

PP RANGE

(Revision 19,1 : 21/08/2025)

[REDACTED]

Hereby declare that the products mentioned below:

[REDACTED]	Rect Vented Lid PP Clear 28x20cm 3X50p
[REDACTED]	Rect Vented Lid 3 Comp PP 28x20cm 3X50p
[REDACTED]	Round Vented lid PP clear 13cm 10X50p
[REDACTED]	Square Vented lid PP clear 17cm 6X50p
[REDACTED]	Round Vented lid PP clear 19cm 6X50p
[REDACTED]	Rect. Vented lid PP clear 23X17cm 4X75p
[REDACTED]	Rect. vented lid PP clear 23x17cm 4x75p.
[REDACTED]	Rect vented lid PP 3comp 23x17cm 4x75p
[REDACTED]	Round Vented lid PP clear 23cm 6X25p
[REDACTED]	Rec Vented Lid PP Clear 20x13cm 6X50p
[REDACTED]	Rect Vent Dome Lid 2Com PP 28x20cm 3X50p
[REDACTED]	Square Dome Vented lid PP cl.17cm 6X50p
[REDACTED]	Rect. Cont. PP black 1,35L 28X20cm 3X50p
[REDACTED]	2 Com. Cont.PP bl.0,8/0,5L 28X20cm 3X50p
[REDACTED]	3 Comp. Cont. PP bl. 975ml 28X20cm 3X50p
[REDACTED]	Round Container PP bl. 250ml 13cm 10X50p
[REDACTED]	Round Container PP bl. 375ml 13cm 10X50p
[REDACTED]	Round Container PP bl. 500ml 13cm 10X50p
[REDACTED]	Sq. Container PP bl. 0,5L 16,5cm 6X50p
[REDACTED]	Sq. Container PP IR 0,5L 16,5cm 6X50p
[REDACTED]	Sq. Container PP bl. 750ml 16,5cm 6X50p
[REDACTED]	Sq. Container PP IR 750ml 16,5cm 6X50p
[REDACTED]	Round Cont. PP black 750ml 19cm 6X50p
[REDACTED]	Round Container PP black 1L 19cm 6X50p
[REDACTED]	Rect. Container PP bl.0,6L 23X17cm 4X75p
[REDACTED]	Rect. Container PP IR 0,6L 23X17cm 4X75p
[REDACTED]	Rect. Container PP bl.0,9L 23X17cm 4X75p
[REDACTED]	Rect. Container PP IR 0,9L 23X17cm 4X75p
[REDACTED]	2 Comp. Cont. PP bl.0,9L 23X17cm 4X75p

Nette GmbH
Elliehäuser Weg 7-11, 37079 Göttingen
Telefon: +49 551 69 47-0
Telefax: +49 551 69 47-27
E-Mail: info@nette-deutschland.de

Niederlassung Leipzig
Oststraße 5, 06231 Bad Dürrenberg OT Nempitz
Telefon: +49 3462 542 65-0
Telefax: +49 3462 542 65-11
E-Mail: leipzig@nette-deutschland.de

Geschäftsführer: Dipl.-Kfm. Michael Nette
Steuer-Nr.: 20/210/22840
Amtsgericht Göttingen HRB 1028
USt-Id-Nr.: DE 249 606 280
ZSVG-Nr.: DE 5544 530 633 838

Wir sind
FSC®-zertifiziert.
TUEV-COC-001347
FSC® C144366
Nur die als solche
gekennzeichneten Artikel
sind FSC®-zertifiziert.



[REDACTED] 2 Comp. Cont. PP IR 0,9L 23X17cm 4X75p
 [REDACTED] 3 Comp Cont. PP Black 0,9L 23X17cm 4X75p
 [REDACTED] Round Cont. PP black 1L 23cm 6X25p
 [REDACTED] Rec Contain PP Black 375ml 20x13cm 6X50p
 [REDACTED] Rec Cont PP Natural 375ml 20x13cm 6X50p
 [REDACTED] Rec Contain PP Black 500ml 20x13cm 6X50p
 [REDACTED] PP Clear Hinged 1 comp 250ml 6x84p
 [REDACTED] PP Clear Hinged 1 comp 375ml 6x80p
 [REDACTED] PP Clear Hinged 1 comp 500ml 6x76p
 [REDACTED] PP Clear Hinged 1 comp 750ml 4x76p
 [REDACTED] PP Clear Hinged 1 comp 1000ml 4x72p
 [REDACTED] Combo Rec 2 Comp 0.8/0.5L PP 6 kit 15+15
 [REDACTED] Combo Sq Cont PP 750ml 16,5cm 150+150
 [REDACTED] Combo Round Cont 750ml PP 6 kits 15+15
 [REDACTED] Combo Round Cont PP 1000ml 150+150
 [REDACTED] Combo Round Cont 1L PP 6 kits 15+15
 [REDACTED] Combo Rect Cont PP 600ml 23x17 150+150
 [REDACTED] Combo Rect Cont 900ml PP 6 kits 15+15
 [REDACTED] Combo Rect Cont 900ml PP 6 kits 15+15
 [REDACTED] Combo Rect 2 Comp 600ml PP 6 kit 15+15
 [REDACTED] Soup Pot Lid PP 115mm 10x50p
 [REDACTED] Rectangular Lid PP Clear 172x120mm 6X50p
 [REDACTED] Deli2Go rectangular Lid PP clear 20x50p
 [REDACTED] Soup pot Lid 96mm 10x50p
 [REDACTED] Soup pot Lid 90mm 20x25p
 [REDACTED] Round Lid PP Clear 13cm 20x50p
 [REDACTED] Rectangular Lid PP Clear 24x17cm 3X50p
 [REDACTED] Rect. 2 comp. lid PP clear 24x17cm 3x50p
 [REDACTED] Round Lid PP Clear 15cm 5x100p
 [REDACTED] Rect Slope Lid RPET Clear 4x75p
 [REDACTED] Rect Lid PP Clear 21x16cm 3x50p
 [REDACTED] Square lid PP clear 23 cm 6x25p
 [REDACTED] Square Dome PP Lid Clear 23cm 300p
 [REDACTED] Square lid 3 comp. PP clear 23 cm 6x25p
 [REDACTED] Square Lid PP Clear 15,5cm 4X75p
 [REDACTED] Square Lid PP Clear 18cm 3X100p
 [REDACTED] Buddha Round lid PP clear 17,5cm 6x50p
 [REDACTED] BePulp Round lid PP clear 21cm 4x75p
 [REDACTED] Square Lid PP Clear 18x18cm 6X50p
 [REDACTED] Oval Lid PP Clear Burrito Bowl 6X50p
 [REDACTED] ComboREU.SquCont+LidPP500ml16,5cm150+150
 [REDACTED] ComboREU.SquCont+LidPP500ml16,5cm6x15+15
 [REDACTED] ComboRect.Cont+Lid REU PP 23x17cm100+100
 [REDACTED] ComboRect.Cont+Lid REU PP 23x17cm6x15+15
 [REDACTED] ComboRect.REU PP 600+300ml23x17cm100+100
 [REDACTED] ComboRect.REU PP 600+300ml23x17cm6x15+15

Comply with the following regulations:

- **1935/2004** : Regulation (EC) of the European parliament and of the council of 27 October 2004 on materials and articles intended to come into contact with food.

In the following condition of use:

Contact with dry and wet food, aqueous food, fatty food, acidic food, alcoholic food.

All storage time at ambient temperature or lower temperature.

Weakened impact resistance can occur at temperatures below zero.

Maximum temperature of use 121°C max time 1 hour.

Suitable for microwave only (not suitable for traditional oven).

Use in hot cabinet at 90°C max 4h.

Suitable for repeated use.

- **10/2011/UE**: commission regulation of 14 January 2011 on plastic materials and articles intended to come into contact with food and amendments:

-

- 321/2011/EU from 2/04/2011
- 1282/2011/EU from 10/12/2011
- 1183/2012/EU from 12/12/2012
- 202/2014/EU from 4/03/2014
- 865/2014/EU from 9/08/2014
- 2015/174/EU from 6/02/2015
- 2016/1416 from 24/08/2016
- 2017/752 from 28/04/2017
- 2018/79 from 18/01/2018
- 2018/213 from 12/02/2018
- 2018/831 from 05/06/2018
- 2019/37 from 31/01/2019
- 2019/1338 from 08/08/2019
- 2020/1245 from 02/09/2020
- 2023/1442 from 11/07/2023
- 2023/1627 from 10/08/2023
- 2024/3190 from 19/12/2024
- 2025/351 from 21/02/2025

The products we supply comply with the successive overall migration limit of 60 mg/kg or 10mg/dm² as laid down in regulation 10/2011/EU.

Test condition :

2 hours at 100°C in acetic acid 3% (stimulant B) and ethanol 50% (stimulant D1)

1 hour at 121°C in vegetal oil (stimulant D2)

Area/volume ratio : 6 dm²/kg ou dm²/L

Following substances submitted to Specific Migration Limit (SML) might have been used:

CAS ou PM	Substance	SML(mg/Kg)
0001333-86-4	Carbon Black	
182121-12-6	9,9 bis (méthoxyméthyl) fluorine	<0.05
45704	Acide cis-1,2- cyclohexanedicarboxylique, Calcium salt	5
0002082-79-3	3-(3,5-di-tert-butyl-4-hydroxyphényl)propionate d'octadécyle	6
89040	Zinc stearate (zinc)	5
	Aluminium	1

DUAL USE ADDITIVES

Reference	Substance name
E471	Mono- and diglycerides ($\leq 0.15\%$)
E470a	Calcium salts of fatty acid ($\leq 0.06\%$)
E553b	Talc
E171	Titanium Dioxide
E172	Iron Oxides & Hydroxides
E529	Calcium Oxide

- **2023/2006/CE** : commission regulation from 22/12/2006 on good manufacturing practice for material and articles intended to come into contact with food.
- **2022/1616/EU** Commission Regulation of 27/03/2008 on recycled plastic materials and articles intended to come into contact with foodstuffs and repealing Regulation (EC) No 282/2008.
- **Phthalates** are not used in the manufacturing process.
- **Commission Regulation (EU) 2024/3190** of 19 December 2024 on the use of bisphenol A (BPA) and other bisphenols and bisphenol derivatives subject to harmonised classification by reason of specific hazardous properties in certain materials and articles intended to come into contact with food, amending Regulation (EU) No 10/2011 and repealing Regulation (EU) 2018/213
- **94/62/CE**: directive of the parliament and the council from 20/12/1994 on packaging and packaging waste
 - Concentration level of heavy metal < 100ppm
 - No dangerous substances identified
 - Waste management: recycling, reuse (can be washed in dishwasher – 20 cycles according adapted method by the NF EN 12875-1:2005-11 standard) or recovery as energetic source (in an approved incinerator).

- **1895/2005/CE** : commission regulation from 18/11/2005 on the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with food (BADGE, BFDGE et NOGE). Those substances are not used in the manufacturing of our products.

Shelf life: 5 years under ideal storage condition: dry, ambient temperature (8°C up to 25°C), in original packaging.

According to the European legislation in force, this is the responsibility of the end user to verify the technical suitability of the product for his specific intended use.

This letter replaces all previous versions.

Valid two years.

This declaration is done for **Nette GmbH**

5/09/2025



ENDE LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN

Nette GmbH
Elliehäuser Weg 7-11, 37079 Göttingen
Telefon: +49 551 69 47-0
Telefax: +49 551 69 47-27
E-Mail: info@nette-deutschland.de

Niederlassung Leipzig
Oststraße 5, 06231 Bad Dürrenberg OT Nempitz
Telefon: +49 3462 542 65-0
Telefax: +49 3462 542 65-11
E-Mail: leipzig@nette-deutschland.de

Geschäftsführer: Dipl.-Kfm. Michael Nette
Steuer-Nr.: 20/210/22840
Amtsgericht Göttingen HRB 1028
USt-Id-Nr.: DE249606280
ZSVG-Nr.: DE 5544 530 633 838

Wir sind
FSC®-zertifiziert.
TUEV-COC-001347
FSC® C144366
Nur die als solche
gekennzeichneten Artikel
sind FSC®-zertifiziert.

