

## Lebensmittelrechtliche Konformitätserklärung

**Für unseren Artikel:**

**PP-Rechteckschale schwarz 1.050 ml 2-geteilt**

**mit der folgenden Artikel-Nummer:**

**49010502**

Hiermit bestätigen wir auf der Grundlage der uns vorliegenden Lebensmittelunbedenklichkeits-erklärung des Produzenten, dass die von uns oben genannten Artikel für den Kontakt mit Lebensmitteln geeignet sind und den dafür vorgesehenen Gesetzen sowie Richtlinien entsprechen.

Zum eigenen Schutz unserer Lieferquellen sind Vorlieferant und Untersuchungslabor sowie dritte beteiligte Personen unkenntlich gemacht. Die uns vorliegende Originalerklärung kann den zuständigen Behörden auf Verlangen zur Verfügung gestellt werden.

Unsere Bestätigung setzt voraus, dass der Packstoff sachgemäß weiterverarbeitet wird. Die spezielle Eignung dieses Packstoffes kann nur vom sachkundigen Füllguterzeuger oder Abpacker beurteilt werden.




Diese Konformitätserklärung ersetzt zuvor ausgestellte Konformitätserklärungen und besitzt eine allgemeine Gültigkeit ab Ausstellungsdatum bis zum 31.03.2028 bzw. bis zur Änderung der Gesetzeslage.

Göttingen, den 31.03.2025


**Nette GmbH**  
Göttingen  
*M. Nette*

# Lebensmittelunbedenklichkeitserklärung des Lieferanten:

\*\*\*ANFANG LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN\*\*\*

 	Certificate of Conformity	Page 1/5	
--	---------------------------	----------	---

We certify that the following products ranges: 

Composed of : black PP 

Storage except freezing in order to avoid any risk of break-in of to the shock during handling.

Comply with the European and French regulations applicable to them, in their version in force to date:

In terms of suitability for food contact, and in particular:

- Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- Commission regulation UE n° 10/2011 of 14 January 2011 relating to plastic materials and articles intended to come into contact with foodstuffs.
- Commission regulation (EU) 2018/213 of 12 February 2018 on the use of bisphenol A in varnishes and coatings intended to come into contact with food and amending Regulation (EU) No 10/2011 as regards the use of that substance in plastic food contact materials.
- Resolution AP (89)1 on the used of colourants in plastics materials coming into contact with food.
- Commission Regulation (EC) No 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- COMMISSION REGULATION (EU) 2023/1442 of 11 July 2023 amending Annex I to Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food, as regards changes to substance authorisations and addition of new substances
- COMMISSION REGULATION (EU) 2023/1627 of 10 August 2023 amending Annex I to Regulation (EU) No 10/2011 as regards the authorisation of the substance bis (2-ethylhexyl)cyclohexane-1,4-dicarboxylate (FCM No 1079)

In the field of environment in the design and manufacture of packaging, and in particular:

- European parliament and council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste
- Directive (EU) 2018/852 of the European parliament and of the council of 30 May 2018 amending Directive 94/62/EC on packaging and packaging waste
- Decree 98-638, repealed by Decree 2007-1467 and reclassified in the regulatory part of the Environment Code: Articles R543-42 to R543-52
- EN 13430:2004 Packaging - Requirements for packaging recoverable by material recycling
- EN 13431:2004 Packaging - Requirements for packaging recoverable in the form of energy recovery, including specification of minimum inferior calorific value

We declare that:

The material referred to above, under normal and foreseeable conditions of use, is suitable:

## **Contact with all types of food products**

Corrective factor: 1

Nette GmbH  
Elliehäuser Weg 7-11, 37079 Göttingen  
Telefon: +49 551 69 47-0  
Telefax: +49 551 69 47-27  
E-Mail: info@nette-deutschland.de

Niederlassung Leipzig  
Oststraße 5, 06231 Bad Dürrenberg OT Nempitz  
Telefon: +49 3462 542 65-0  
Telefax: +49 3462 542 65-11  
E-Mail: leipzig@nette-deutschland.de

Geschäftsführer: Dipl.-Kfm. Michael Nette  
Steuer-Nr.: 20/210/22840  
Amtsgericht Göttingen HRB 1028  
USt-Id-Nr.: DE249606280  
ZSVG-Nr.: DE 5544 530 633 838

Wir sind  
FSC®-zertifiziert.  
TUEV-COC-001347  
FSC® C144366  
Nur die als solche  
gekennzeichneten Artikel  
sind FSC®-zertifiziert.



Surface Volume Ratio: Our products are intended for all type of food contact for which it is not possible to calculate the real contact surface for all applications. The ratio surface/volume used to determine compliance of the material or object is 6dm<sup>2</sup> per kg of food

Heavy metal content (Directive 94/62 EC) : **Based on tests**

The duration and temperature of contact with foodstuffs correspond to the conditions of the following global migration tests : (OM5)

Simulating	Duration of the migration	Migration temperature	Comments
Acetic Acid 3% (B)	2 hrs	100°C	
Ethanol 50% (D1)	2 hrs	100°C	
Vegetable Oil (D2)	1 hr	121°C	

Test OM 5 covers also food contact conditions described for OM0, OM1, OM2, OM3, OM4. It represents the worst case conditions for all food simulants in contact with polyolefins.

<b>MG0</b>	30 min at 40 °C	Any food contact at cold or ambient temperatures and for a short duration (≤ 30 minutes).
<b>MG1</b>	10 J at 20 ° C	Any contact with the state Frozen and refrigerated.
<b>MG2</b>	10 J at 40 °c	Any long-term storage at room temperature or at a lower temperature, including heating at a maximum of 70 °c for up to 2 hours or heating at a maximum of 100 °c for up to 15 minutes.
<b>MG3</b>	2 hours at 70 °c	Any condition including heating at a maximum of 70 °c during Maximum of 2 hours or heating at a maximum of 100 °c during Maximum 15 minutes, not followed by long-term storage at room temperature or refrigerated.
<b>MG4</b>	1 hour at 100 °c	High temperature Applications for all Simulants To a maximum temperature of 100 °c.
<b>MG5</b>	Either 2 h at 100 °c or at the ebb temperature, i.e. 1 h at 121 °c	High temperature Applications at a maximum temperature of 121 °c

On the basis of the declarations of our suppliers and according to the manufactures, the material black PP [REDACTED] contain the following substances subject to restrictions:

Ref number	CAS No.	Substances :	LMS (mg/kg)
/	557-05-1	zinc stearate	SML = 5mg/kg as Zinc
66350	85209-93-4	phosphate de 2,2'-méthylènebis (4,6-di-tert-butylphényl)lithium	SML = 5mg/kg
39925	129228-21-3	3,3-bis(méthoxyméthyl)-2,5-diméthylhexane	SML = 0,05mg/kg
39815	182121-12-6	9,9-bis(methoxymethyl)fluorene	SML = 0,05 mg/kg
55910	736150-63-3	Glycerides, Castor Oil mono-hydrogenates, Acetates	SML =60 mg/kg
39090	/	N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine	SML(T) = 1,2 mg/kg expressed as tertiary amine
39120	/	N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides	SML = 1,2mg/kg
68320	2082-79-3	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	SML = 6 mg/kg
/	553-54-8	lithium benzoate	SML = 0,6mg/kg as Lithium
38560	7128-64-5	2,5-bis(5-tert-butyl-2-benzoxazolyl)thiophene	SML = 0,6 mg/kg
66360	85209-91-2	2,2'-methylene bis(4,6-di-tert-butylphenyl) sodium phosphate	SML = 5 mg/kg
38507	/	cis-endo-bicyclo[2.2.1]heptane-2,3-dicarboxylic acid, salts	SML = 5mg/kg
45704	/	cis-1,2-cyclohexanedicarboxylic acid, salts	SML = 5mg/kg
/	7429-90-5	aluminium	SML = 1mg/kg as Aluminium

On the basis of the declarations of our suppliers and according to the manufactures, the material **black PP** [REDACTED] Can contain the following dual-functionality additives:

No of without	CAS No.	Substances :
E470a	/	sodium, potassium and calcium salts of fatty acids (E470a)
E471	/	mono and diglycerides of fatty acids (E471)
E553(iii)	14807-96-6	talc
E551	7631-86-9	silicium dioxide (E551)
/	/	glycerol monostearate
E470	1592-23-0	calcium stearate

/	/	calcium salts of fatty acids
E475		polyglycol ester of fatty acids
		Not Applicable

On the basis of the declarations of our suppliers and according to the manufactures, the material **black PP** ( ) may contain the following recycled material:

- Not applicable

For packaging containing cardboard, vegetable fiber or paper, please find below the specific migration tests carried out according to the applicable recommendations and regulations :

*Product not concerned by the tests of paper, cardboard or vegetable fiber*

Substance	CAS (if applicable)		
Not applicable			

Concerned products :

Product	Range	Reference
BARQUETTE SCEL.375CC NOIR		
BARQUETTE SCEL. TRANSL 750CC NOIR		
BARQUET.SCEL.NOIRE1010CC 75P/SAC		
BARQUET.SCEL.NOIRE 1010CC 2COMP		
MICROPACK - 375 GR - NOIR		
MICROPACK - 500 GR - NOIR		
MICROPACK - 750 GR - NOIR		
BOITE FOND NOIR 375 CC		
BOITE NOIRE 500CC PP		
FOND BCK375 PR RECONDITIONNEMENT		
BOITE FOND NOIR 1000 CC		
BOITE FOND NOIR 1250 CC		
BOITE FOND NOIR 1250 CC 2 COMPA.		
BOITE FOND NOIR 1250 CC 3 COMPA.		
BOITE FOND NOIR 250 CC		
BOITE FOND NOIR 350 CC		
BOITE FOND NOIR 400 CC		
BOITE FOND NOIR 600 CC		
BOITE FOND NOIR 800 CC		
BOITE FOND NOIR 1000 CC		
BOITE FOND NOIR 1050 CC 2 COMPA.		

*However, the guarantee may not extend:*

Nette GmbH  
 Elliehäuser Weg 7-11, 37079 Göttingen  
 Telefon: +49 551 69 47-0  
 Telefax: +49 551 69 47-27  
 E-Mail: info@nette-deutschland.de

Niederlassung Leipzig  
 Oststraße 5, 06231 Bad Dürrenberg OT Nempitz  
 Telefon: +49 3462 542 65-0  
 Telefax: +49 3462 542 65-11  
 E-Mail: leipzig@nette-deutschland.de

Geschäftsführer: Dipl.-Kfm. Michael Nette  
 Steuer-Nr.: 20/210/22840  
 Amtsgericht Göttingen HRB 1028  
 USt-Id-Nr.: DE 249 606 280  
 ZSVG-Nr.: DE 5544 530 633 838

Wir sind  
**FSC®-zertifiziert.**  
 TUEV-COC-001347  
 FSC® C144366  
 Nur die als solche  
 gekennzeichneten Artikel  
 sind FSC®-zertifiziert.



Any subsequent changes in the composition of the product covered by this declaration, by addition of any substance of any nature;  
To an implementation that may lead to denatured material;  
Improper use of materials

To the verification of the reciprocal compatibility of the material and the conditioned foodstuffs, which is the exclusive responsibility of the user of the packaging which processes the packaged foodstuffs in the light of its industrial process and The composition of these foodstuffs, and in particular the non-modification of the organoleptic characteristics of the conditioned foodstuffs.


The use at industrial or commercial level of the products covered by this Declaration shall be subject to verification of their conformity with the standards in force and of their technical conformity with respect to the employment to which they are Intended.

This certificate is intended to be issued to customers and users who will request it.

This cancels any prior statement. It will be amended When Will intervene from Substantial changes in the declaration shall take effect from the date shown below for a maximum period of three years. It manufacture of the product, able to change certain essential conditions required by compliance, or where the regulatory references will be modified.

██████████ The 3/31/2025

██████████  
Quality Manager



**P. 5: Detail of the elements on which this declaration is based:**

- . Certification (s) of suppliers of raw materials: Yes  
(component of the material subject to the attestation)
- . Analysis of heavy Metals: Yes
- . Global Migration Analysis: Yes
- . Specific migration analysis (substances subject to limitation): Yes
- . Presence of recycled materials according to Regulation 282/2008, No
  
- . Presence of active or intelligent materials according to Regulation 450/2009 No
  
- . Other:

\*\*\*ENDE LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN\*\*\*

Nette GmbH  
Elliehäuser Weg 7-11, 37079 Göttingen  
Telefon: +49 551 69 47-0  
Telefax: +49 551 69 47-27  
E-Mail: info@nette-deutschland.de

Niederlassung Leipzig  
Oststraße 5, 06231 Bad Dürrenberg OT Nempitz  
Telefon: +49 3462 542 65-0  
Telefax: +49 3462 542 65-11  
E-Mail: leipzig@nette-deutschland.de

Geschäftsführer: Dipl.-Kfm. Michael Nette  
Steuer-Nr.: 20/210/22840  
Amtsgericht Göttingen HRB 1028  
USt-Id-Nr.: DE 249 606 280  
ZSVG-Nr.: DE 5544 530 633 838

