

Lebensmittelrechtliche Konformitätserklärung

Für unseren Artikel:

PP-Deckel rund 95mm klar

mit der folgenden Artikel-Nummer:

48951

Hiermit bestätigen wir auf der Grundlage der uns vorliegenden Lebensmittelunbedenklichkeits-erklärung des Produzenten, dass die von uns oben genannten Artikel für den Kontakt mit Lebensmitteln geeignet sind und den dafür vorgesehenen Gesetzen sowie Richtlinien entsprechen.

Zum eigenen Schutz unserer Lieferquellen sind Vorlieferant und Untersuchungslabor sowie dritte beteiligte Personen unkenntlich gemacht. Die uns vorliegende Originalerklärung kann den zuständigen Behörden auf Verlangen zur Verfügung gestellt werden.

Unsere Bestätigung setzt voraus, dass der Packstoff sachgemäß weiterverarbeitet wird. Die spezielle Eignung dieses Packstoffes kann nur vom sachkundigen Füllguterzeuger oder Abpacker beurteilt werden.

Diese Konformitätserklärung ersetzt zuvor ausgestellte Konformitätserklärungen und besitzt eine allgemeine Gültigkeit ab Ausstellungsdatum bzw. bis zur Änderung der Gesetzeslage.

Göttingen, den 01.12.2025

Nette GmbH
Göttingen
[Handwritten Signature]

Lebensmittelunbedenklichkeitserklärung des Lieferanten:

ANFANG LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN

Declaration of compliance

With the legislation for materials and articles intended to come into

Contact with foodstuffs

We, [REDACTED] certify that food packaging films are produced only with components that fulfil the requirements on products, intended for use in direct contact with food, as described in the latest revisions of food contact regulations. Polyolefins are supplied to [REDACTED] in compliance with:

EC:

- Framework Regulation (EC) No. 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food article 3, 11(5), 15 and 17;
- Commission Regulation 10/2011/EC of 14 January 2011 on plastic materials and articles intended to come into contact with food; with subsequent amendments including 2025/351 of 21 February 2025;
- Commission Regulation (EC) 2023/2006 of 22 December 2006 on good manufacturing practice (GMP) for materials and articles intended to come into contact with food; with subsequent amendments.
- Commission Regulation (EU) 2023/55 of 25 September 2023 amending Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards synthetic polymer microparticles.

Netherlands:

- Regeling Verpakkingen- en gebruiksartikelen (Warenwet)

Additional information

- All products have to be stored under clean, dry and odourless conditions in original packaging
- Storage temperature for PS : 5 - 40°C
for PP : 5 - 40°C
for PET: 5 - 40°C

References:

Article no [REDACTED]	Article no Supplier	Article description	Certificate no
[REDACTED]		PP deksel TE 95mm TRP	Not available

Material: Thin-wall, hermetically sealed packaging – containers / lids made of Polypropylene (PP)

<p>Products usage specification:</p> <p>Containers with lids are suitable for dry, powdery, watery, acidic, fat, dairy, alcoholic and other products.</p> <p>Containers with lids are suitable for contact with the hot filling (85°C - 95°C) and short-term use in the microwave up to 100°C for no longer than 15 min. Containers with lids are not suitable for long-term use in the microwave or for heating food in the oven.</p> <p>Containers with lids must be tested under real conditions with the actual product before approval for use at high temperatures.</p> <p>Recommended period of storage – 12 months after production date, storing in dry, closed premises at room or lower temperature in original packaging.</p>
--

The above mentioned product does not contain any substances or products causing allergies or intolerances as listed in Annex II to Regulation (EU) No. 1169/2011 of 25 October 2011.

According to Regulation (EC) No. 1935/2004 and Regulation (EU) No. 10/2011 packaging does not pose a risk to human health, does not change the composition of food products, does not deteriorate the organoleptic properties of the food product.

Analyte	Test conditions	Results $\pm U$
Odor	100° C and	Not perceptible
Taste	24 h 40° C	Not perceptible
Protocol No.: Ch5412 (2025-06-12), Ch5397 (2025-06-12), Ch5407 (2025-06-12), Ch10502 (2024-10-16).		
IML labels, used to decorate containers and lids, are suitable for contact with food. The IML labels have a specific characteristic smell which does not affect the safety of the product in the final decorated packaging. Products must be tested under real conditions before use.		

Overall migration limits (OML) are less than 10 mg/dm², determined in accordance with the tests carried out following Regulation (EC) No. 10/2011. Conformity tests are carried out applying area to weight ratio: 6 dm² for 1 kg of food.

Data is prepared based on transparent, colored and decorated products chemical tests results:

Analyte	Test conditions	Unit	Results $\pm U$		Limit
			from	to	
Into 10% ethanol (A)	10 days 40°C	mg/dm ²	<0,3	4,3±1,1	≤10
Into 3% acetic acid (B)			< 0,3	5,9±1,2	
Into 20 % ethanol (C)			<1,0		
Into 50 % ethanol (D1)			< 0,3		
Into poly (2,6-diphenyl-p-phenylene oxide) (E)			1,0±1,0		
Into Vegetable oil (D2)			4,0±2,0		
Into 95 % ethanol (D2)			<0,3	4,4±1,1	
Isooctane (D2)	2 days 20°C	mg/dm ²	< 0,3	7,0±1,4	
Protocol no.: 631081/25VIL (2025-09-22), Ch5410 (2025-06-27), Ch5409 (2025-06-27), Ch5400 (2025-06-18), Ch5415 (2025-06-18), Ch5414 (2025-06-18), Ch5413 (2025-06-13), Ch5398 (2025-06-12), Ch10503 (2024-10-18), Ch10504 (2024-10-18), Ch3 (2024-01-26), Ch4 (2024-01-26).					

<less than test method determination limit

Only monomers, additives and other starting substances, listed in the **Annex I of the Regulation (EU) No. 10/2011** are used in production of the products. The final products could contain some other substances for which a specific migration limit (SML) is established. The information is based on the documents provided by the manufacturers or raw materials, color masterbatches and IML labels:

<i>PM Ref.: 95360</i>	<i>1,3,5-tris(3,5-di-tert-butyl-4-hidroksibenzil)-1,3,5-triazin-2,4,6(1H,3H,5H)-trione</i>	<i>SML: 5 mg/kg</i>
<i>PM Ref.: 38550</i>	<i>bis(4-propilbenziliden) propilsorbitol</i>	<i>SML: 5 mg/kg</i>
-	<i>aliuminium</i>	<i>SML: 1 mg/kg</i>
<i>PM ref.: 38560</i>	<i>2,5-bis(5-tert-butyl-2-benzoksazolil) thiophene</i>	<i>SML: 0,6 mg/kg</i>
<i>PM ref.: 68320</i>	<i>Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate</i>	<i>SML: 6 mg/kg</i>
<i>PM ref.: 18100, 55920</i>	<i>Glycerol</i>	-
<i>PM ref.: 55910</i>	<i>Glycerides</i>	<i>SML: 60 mg/kg</i>
<i>PM ref.: 38820</i>	<i>3,9-Bis(2,4-di-tert-butylphenoxy)-2,4,8,10-tetraoxa-3,9-diphosphaspir[5.5]undecan</i>	<i>SML: 0,6 mg/kg</i>
<i>PM ref.: 39815</i>	<i>9,9-bis (metoksimetil) fluorene</i>	<i>SML: 0,05 mg/kg</i>
<i>PM ref.: 21130</i>	<i>Methyl methacrylate</i>	<i>SML: 6 mg/kg</i>
<i>PM ref.: 94560</i>	<i>Triisopropanolamine</i>	<i>SML: 5 mg/kg</i>
<i>PM ref.: 95360</i>	<i>1,3,5-Tris(3,5-di-tert-butyl-4-hydroxybenzyl)-1,3,5-triazinane-2,4,6-trione</i>	<i>SML: 5 mg/kg</i>
<i>PM ref.: 83595</i>	<i>Tetrakis(2,4-di-tert-butylphenyl) 4,4- biphenyldiphosphonite</i>	<i>SML: 18 mg/kg</i>
<i>PM ref.: 18820</i>	<i>Heksene</i>	<i>SML: 3 mg/kg</i>
<i>PM ref.: 26140</i>	<i>1,1- Difluoroethylene</i>	<i>SML: 5 mg/kg</i>
<i>PM ref.: 10690</i>	<i>acrylic acid</i>	<i>SML: 6 mg/kg</i>
<i>PM ref.: 14020</i>	<i>4-tert- Butylphenol</i>	<i>SML: 0,05 mg/kg</i>
<i>PM ref.: 19960</i>	<i>Maleic anhydride</i>	<i>SML: 30 mg/kg</i>
<i>PM ref.: 22660</i>	<i>1-Octene</i>	<i>SML: 15 mg/kg</i>
<i>PM ref.: 25120</i>	<i>Tetrafluoroethylene</i>	<i>SML: 0,05 mg/kg</i>
<i>PM ref.: 18430</i>	<i>Hexafluoropropylene</i>	<i>SML: 0,01 mg/kg</i>
<i>PM ref.: 15130</i>	<i>1-Decene</i>	<i>SML: 0,05 mg/kg</i>
<i>PM ref.: 46720</i>	<i>2,6-Di-tert-butyl-4- ethylphenol</i>	<i>SML: 4,8 mg/kg</i>
<i>PM ref.: 92560</i>	<i>Tetrakis(2,4-di-tert-butylphenyl)-1,1-biphenyl-4,4'-diylbisphosphonite</i>	<i>SML: 18 mg/kg</i>
<i>PM ref.: 95280</i>	<i>Tris(4-tert-butyl-3-hydroxy-2,6-dimethylbenzyl) Isocyanurate</i>	<i>SML: 6 mg/kg</i>
<i>PM ref.: 74050</i>	<i>Phosphorous acid, mixed 2,4-bis(1,1-dimethylpropyl)phenyl and 4-(1,1-dimethylpropyl) phenyl triesters</i>	<i>SML: 10 mg/kg</i>

The amount of heavy metals in the final product does not exceed limit values set in **Annex II of the Regulation (EC) No. 10/2011**:

Analyte	Test conditions	Unit	Results ±U	Limit
Aluminum	3% acetic acid 10 days 60°C	mg/kg	Not detected*	1
Antimony			Not detected*	0,04
Arsenic			Not detected*	-
Barium			0,011±0,002	1
Lead			Not detected*	-
Cadmium			Not detected*	0,002
Calcium			1,89 ± 0,38	60
Chromium			Not detected*	0,01
Cobalt			Not detected*	0,02
Iron			0,026	48
Europium			Not detected*	0,05
Gadolinium			Not detected*	0,05
Potassium			Not detected*	60
Copper			Not detected*	5
Lanthanum			Not detected*	0,05
Lithium			Not detected*	0,6
Magnesium			Not detected*	60
Manganese			Not detected*	0,6
Sodium	Not detected*	60		
Nickel	Not detected*	0,02		
Mercury	Not detected*	-		
Terbium	Not detected*	0,05		
Analyte	Test conditions	Unit	Results ±U	Limit
Sum of heavy metals	10 days 60°C	mg/kg	Not detected*	≤100

Protocol No.: 631082/25/VIL (2025-09-08).

*less than test method determination limit

Total concentration of lead, cadmium, mercury and chrome (Pb, Cd, Hg, Cr) in the products does not exceed maximum allowable limit – 100 ppm of product weight according to **Directive 94/62/EC** of the European Parliament and of the Council of 20 December 1994 on Packaging and Packaging Waste.

Analyte	Test conditions	Unit	Results ±U	Limit
Sum of heavy metals	10 days 60°C	mg/kg	Not detected*	≤100

Protocol No.: 631082/25/VIL (2025-09-08).

*less than test method determination limit

Functional barrier	Not used
Recycled plastics	Not used
UV protection	Not used

Dual use additives	Substances also authorized as direct food additives ("Dual use additives") are either not used for the manufacturing of PP, kind of not migrating, or only present in quantities that in case of their migration don't allow relevant contribution to exceed of the limits as set in the Regulation 10/2011/EC .
---------------------------	---

<p>Listed chemical materials are not used in the manufacture of the raw materials/other materials and are not expected to be present in final products. However, final product has not been tested for these chemical materials:</p>	<p>Aromatic amines Bisphenol A Formaldehyde Melamine Polyvinyl chloride (PVC) Mineral oil aromatic hydrocarbons (MOAH) Phthalates Allergens Brominated flame retardants PFC, PFOS, PFAS, PFOA</p>	<p>CAS Nr. 80-05-7 CAS Nr. 50-00-0 CAS Nr. 108-78-1 CAS Nr. 9002-86-2</p>
<p>The product does not contain or is not used:</p>	<p>BADGE, NOGE, BFEDGE Latex</p>	

The Plastic **PP** packaging mentioned above is **suitable for recycling**:
Container, lid, - 100% PP

Plastic packaging and packaging materials used to pack products comply Directive 94/62/EC of the European parliament and of the Council of 20 December 1994 on Packaging and Packaging waste (with latest updates) and for this Directive assigned harmonized EU standards, corresponding requirements:

Prevention by source reduction (EN 13428)	<input checked="" type="checkbox"/>
Requirements for packaging recoverable by material recycling (EN 13430)	<input checked="" type="checkbox"/>
Requirements for packaging recoverable in the form of energy recovery, (EN 13431)	<input checked="" type="checkbox"/>
The concentration of hazardous and toxic substances in the packaging and its components does not exceed the established limits.	<input checked="" type="checkbox"/>
The concentration of heavy metals in the packaging and its components does not exceed the established limits	<input checked="" type="checkbox"/>

The following Dual Use Additives might be included:


E470a
E471
E572
E553b

This document of compliance is based on:

- Documentation from suppliers
- Global migration test
- Specific migration



It should be noted that the product has been tested for the abovementioned forms of usage and conditions. Therefore, it will be the sole responsibility of the downstream users to determine that the usage of the product complies with the information given in this document and is safe, lawful and technically suitable so that no change in flavour, taste or organoleptic properties occurs. In case the product will be used in a different manner than tested, the information in this declaration of compliance will not apply and the downstream users shall be responsible for the compliance with the legislation and regulations.

 01/12/2025