

Lebensmittelrechtliche Konformitätserklärung

Für unseren Artikel:

rPET Deckel Light für Salad Bowl 750ml 145mm Art. 430026

mit der folgenden Artikel-Nummer:

430150

Hiermit bestätigen wir auf der Grundlage der uns vorliegenden Lebensmittelunbedenklichkeitserklärung des Produzenten, dass die von uns oben genannten Artikel für den Kontakt mit Lebensmitteln geeignet sind und den dafür vorgesehenen Gesetzen sowie Richtlinien entsprechen.

Zum eigenen Schutz unserer Lieferquellen sind Vorlieferant und Untersuchungslabor sowie dritte beteiligte Personen unkenntlich gemacht. Die uns vorliegende Originalerklärung kann den zuständigen Behörden auf Verlangen zur Verfügung gestellt werden.

Unsere Bestätigung setzt voraus, dass der Packstoff sachgemäß weiterverarbeitet wird. Die spezielle Eignung dieses Packstoffes kann nur vom sachkundigen Füllguterzeuger oder Abpacker beurteilt werden.

Diese Konformitätserklärung ersetzt zuvor ausgestellte Konformitätserklärungen und besitzt eine allgemeine Gültigkeit ab Ausstellungsdatum bzw. bis zur Änderung der Gesetzeslage.

Göttingen, den 09.03.2026

Nette GmbH
Göttingen
M. Nette

Lebensmittelunbedenklichkeitserklärung des Lieferanten:

ANFANG LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN

Doc. No: DC-11-28 / Published Date: 10.07.2023 / Rev. No: 03 / Rev. Date: 09.03.2026

DECLARATION of COMPLIANCE

We hereby confirm that the products we supply to you do meet the requirements put forward in the legal framework presented below.

1. DESCRIPTION OF MATERIALS AND ARTICLES

LIDS MADE OF PET (POLYETHYLENE TEREPHTHALATE)

The identity of the materials, the articles, products from intermediate stages of manufacture or the substances intended for the manufacturing of those materials and articles: APET / RPET(post consumer)/ APET in ABA , 3 Layer Co-Ex Sheet PET sheet; transparent, white, black, orange

Substance Name	IUPAC Name	CAS Number	E Number
Polyethylene Terephthalate	Poly(ethylene terephthalate)	25038-59-9	924-655-5

2. INTENDED USES

Products listed above can be in contact with following food stuff:

All beverages

In following conditions of temperature and time*:

10 days at 40°C

* It is the obligation of the recipient of this declaration to ensure that the packaging is suitable for aimed processing and downstream use circumstances.

The product meets the above requirements and poses no threat to human health provided that use it as intended.

This product is made entirely from 100% virgin raw materials and contains no recycled content.

3. LEGISLATION

We certify that these products fulfil the requirements on products intended for use in contact with food and packaging as described in:

Regulation (EU) 2019/1381 of the European Parliament and of the Council of 20 June 2019 on the transparency and sustainability of the EU risk assessment in the food chain, amending Regulation (EC) No 178/2002, Regulation (EC) No 1829/2003, Regulation (EC) No 1831/2003, Regulation (EC) No 2065/2003, Regulation (EC) No 1935/2004, Regulation (EC) No 1331/2008, Regulation (EC) No 1107/2009, and Directive 2001/18/EC.

Regulation (EU) 2025/351 of the European Parliament and of the Council of 24 January 2025 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC (07.08.2009) and its amendments up to date of this document

Commission Regulation (EC) No 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food (17.04.2008) and articles intended to come into contact with food and its amendments up to date of this statement

Regulation (EC) No 10/2011 on plastic materials and articles intended to come into contact with food (29.08.2019) and its amendments up to date of this document

Regulation (EU) 2016/1416 of 24 August 2016 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with Food

Regulation (EU) 2020/1245 of 2 September 2020 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food

Commission Regulation (EU) 2017/752 of 28 April 2017 amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with Food

Commission Regulation (EU) 2024/3190 of 19 December 2024 on the use of bisphenol A (BPA) and other bisphenols and bisphenol derivatives with harmonised classification for specific hazardous properties in certain materials and articles intended to come into contact with food, amending Regulation (EU) No 10/2011 and repealing Regulation (EU) 2018/213

Regulation (EU) No 1169/2011 of the European Parliament and of the Council of 25 October 2011 on the provision of food information to consumers.(Annex II)

Commission Regulation (EU) 2023/1442 of 11 July 2023 amending Annex I to Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food, as regards changes to substance authorisations and addition of new substances

Commission Regulation (EU) 2023/2055 of 25 September 2023 amending Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards synthetic polymer microparticles

Commission Regulation (EC) 2022/1616 of 15 September 2022 on recycled plastic materials and articles intended to come into contact with foods

Directive 94/62/EC on packaging and packaging waste and its amendments up to date regarding the threshold limit of 100 ppm by weight of heavy metals

Veterinary Services, Plant Health, Food and Feed Law (O.N. 27610/13.06.2010)- (O.N. 30616/5.12.2018) and its amendments up to date of this statement

Regulation on Food Hygiene (O.N. 28145/17.12.2011) and its amendments up to date of this statement

Turkish Food Codex Food Labeling and Consumer Information Regulation (O.N. 29960/26.01.2017) and its amendments up to date of this statement

Property of Materials and Food Contact Regulation on Good Manufacturing Practice and Registration Procedures (O.N. 28373/03.08.2012)- (O.N : 28547/02.02.2013) and its amendments up to date of this statement

Regulation on plastic materials and articles intended to come into contact with food (2019/44) (O.N. 30989/25.12.2019) and its amendments up to date of this statement

Turkish Food Codex Plastic Materials In Contact With Food And Amendment To Materials Notification (Notification No: 2019/44) Notification On The Implementation Of (2023/33) (O.N. 32538/06.05.2024)

Regulation on the list of simulants used in migration test of plastic materials and articles intended to come into contact with food (2019/43) (O.N. 30989/25.12.2019)

Turkish Food Codex Regulation on Substances and Materials in contact with food (R.G. 30680 / 8.2.2019) and its amendments up to date of this statement

Regulation on Registration and Approval Procedures of Food Businesses (R.G. 30825 / 08.07.2019) and its amendments up to date of this statement

The Regulation of Waste Control of Food Contact Materials

4. ANALYSES

According to Turkish Food Codex and Regulation (EU) No 10/2011 materials and articles shall not transfer their constituents to foodstuffs in quantities exceeding 10 mg per dm² (60 mg/kg) foodstuff or food simulant (limiting value of overall migration) and specific migration limits shown below as mg/kg.

Following migration tests were conducted:

DETERMINATION of OVERALL MIGRATION						
FOOD TYPE	SIMULANT	TIME (h)	TEMP. (C°)	METHOD	LOQ* (mg/kg)	REQUIREMENT
Acidic Food	Food Simulant B, Acetic Acid 3%	10 days	40	EN 1186-9	6	<=60 mg/kg
Aqueous Food	Food Simulant A, Ethanol 10%	10 days	40	EN 1186-9	6	<=60 mg/kg
Fatty Food	Food Simulant D1, Ethanol 50%	10 days	40	EN 1186-9	6	<=60 mg/kg
Alternative Simulant for fatty Food Simulant	Fatty Food Simulant , Ethanol 95%	10 days	40	EN 1186-14	6	<=60 mg/kg
Fatty Food Substituted Simulation	Isooctane	2 days	20	EN 1186-14	6	<=60 mg/kg

* LOQ: Limit of Quantification

DETERMINATION of SPECIFIC MIGRATION							
SUBSTANCE	CAS Number	SIMULANT	TIME (h)	TEMP. (C°)	SML REQUIREMENT (mg/kg)	METHOD	DETECTION LIMIT(mg/kg)
Manganase (Mn)	7439-96-5	Acetic acid 3%	10 days	40	0.6 (max.)	EN 13130-1 ISO 17294-1&2	0.007
Copper (Cu)	7440-50-8	Acetic acid 3%	10 days	40	5 (max.)	EN 13130-1 ISO 17294-1&2	0.007
Cobalt (Co)	7440-48-4	Acetic acid 3%	10 days	40	0.05 (max.)	EN 13130-1 ISO 17294-1&2	0.007
Lithium (Li)	7439-93-2	Acetic acid 3%	10 days	40	0.6 (max.)	EN 13130-1 ISO 17294-1&2	0.008
Zinc (Zn)	7440-66-6	Acetic acid 3%	10 days	40	5 (max.)	EN 13130-1 ISO 17294-1&2	0.010
Barium (Ba)	7440-39-3	Acetic acid 3%	10 days	40	1 (max.)	EN 13130-1 ISO 17294-1&2	0.007
Iron (Fe)	7439-89-6	Acetic acid	10 days	40	48 (max.)	EN 13130-1	0.008

		3%				ISO 17294-1&2	
Aluminum (Al)	7429-90-5	Acetic acid 3%	10 days	40	1 (max.)	EN 13130-1 ISO 17294-1&2	0.008
Nickel (Ni)	7440-02-0	Acetic acid 3%	10 days	40	0.02 (max.)	EN 13130-1 ISO 17294-1&2	0.007
Antimony (Sb)	7440-36-0	Acetic acid 3%	10 days	40	0.04 (max.)	EN 13130-1 ISO 17294-1&2	0.003
Arsenic (As)	7440-38-2	Acetic acid 3%	10 days	40	0.002 (ND)	EN 13130-1 ISO 17294-1&2	0.0002
Cadmium (Cd)	7440-43-9	Acetic acid 3%	10 days	40	0.002 (ND)	EN 13130-1 ISO 17294-1&2	0.0009
Lead (Pb)	7439-92-1	Acetic acid 3%	10 days	40	0.003 (ND)	EN 13130-1 ISO 17294-1&2	0.002
Mercury (Hg)	7439-97-6	Acetic acid 3%	10 days	40	0.007 (ND)	EN 13130-1 ISO 17294-1&2	0.0001
Europium (Eu)	7440-53-1	Acetic acid 3%	10 days	40	0.05 sum (max.)	EN 13130-1 ISO 17294-1&2	0.005
Gadolinium (Gd)	7440-54-2	Acetic acid 3%	10 days	40		EN 13130-1 ISO 17294-1&2	0.005
Lanthanum (La)	7439-91-0	Acetic acid 3%	10 days	40		EN 13130-1 ISO 17294-1&2	0.005
Terbium (Tb)	7440-27-9	Acetic acid 3%	10 days	40		EN 13130-1 ISO 17294-1&2	0.005
Chromium (Cr)#	7440-47-3	Acetic acid 3%	10 days	40	0.01 (ND)	EN 13130-1 ISO 17294-1&2	0.001
Magnesium (Mg)	7439-95-4	Acetic acid 3%	10 days	40	-	EN 13130-1 ISO 17294-1&2	0.003
Sodium (Na)	7440-23-5	Acetic acid 3%	10 days	40	-	EN 13130-1 ISO 17294-1&2	0.006

ND = Not detected

= When migration of total chromium is between 0.01 mg/kg and 3.6 mg/kg, chromium (VI) content in plastic shall be not dete

PAH CONTENT				
ANALYSIS NAME	CAS Number	METHOD	LOQ* (mg/kg)	REQUIREMENT
Sum of 18 PAH's	-	ZEK.01.4.08	0.2	<=10 mg/kg
Chrysene	218-01-9	ZEK.01.4.08	0.2	<=0,5 mg/kg
Dibenzo(a,h)anthracene	53-70-3	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(g,h,i) perylene	191-24-2	ZEK.01.4.08	0.2	<=0,5 mg/kg
Indeno (1,2,3-cd) pyrene	193-39-5	ZEK.01.4.08	0.2	<=0,5 mg/kg
Sum of Acenaphylene+ Acenaphthene+Fluorene+Phena nthrene+Pyrene+Anhrtracene+ Fluoranthene	-	ZEK.01.4.08	0.2	<=10 mg/kg

Napthalene	91-20-3	ZEK.01.4.08	0.2	<=2 mg/kg
Benzo(a) pyrene	50-32-8	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(e) pyrene	192-97-2	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(a) anthracene	56-55-3	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(b) fluoranthene	205-99-2	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(j) fluoranthene	205-82-3	ZEK.01.4.08	0.2	<=0,5 mg/kg
Benzo(k)fluoranthene	207-08-9	ZEK.01.4.08	0.2	<=0,5 mg/kg

* LOQ: Limit of Quantification

Lead, Cadmium, Mercury, Chromium +6 CONTENT				
ANALYSIS NAME	CAS Number	METHOD	LOQ* (mg/kg)	REQUIREMENT
Lead Content	7439-92-1	NMKL 186	0.009	-
Cadmium Content	7440-43-9	NMKL 186	0.009	-
Mercury Content	7439-97-6	NMKL 186	0.01	-
Determination of Chromium +6	18540-29-9	ICP-MS	1	-
Sum of Lead, Cadmium, Mercury, Chromium (+6)	-	Calculation	1.03	100 mg/kg

* LOQ: Limit of Quantification

ANALYSIS NAME	CAS Number	TIME (h)	TEMP. (°C)	METHOD	LOQ* (mg/kg)	REQUIREMENT
Determination of Bisphenol A Migration, Aqueous Food Simulant	80-05-7 FCM No: 151	10 days	40	CEN/TS 13130-13 BS EN 14372 EN 14350-2	0.01	<=0,05 mg/kg
Butyl Benzyl Phthalate (BBP) Phthalate Acid Benzyl butyl ester	85-68-7 FCM No: 159	-	-	BS EN 14372	0.002 %	<=0,1 %
Di-n-Butyl Phthalate (DBP)	84-74-2 FCM No: 157	-	-	BS EN 14372	0.002 %	<=0,05 %
Di(Ethylhexyl) Phthalate (DEHP)	117-81-7 FCM No: 283	-	-	BS EN 14372	0.001 %	<=0,1 %
Di-Iso-Nonyl Phthalate(DINP)	28553-12-0 FCM No: 728	-	-	BS EN 14372	0.022 %	<=0,1 %
Di-Isodecyl Phthalate (DIDP)	26761-40-0 FCM No: 729	-	-	BS EN 14372	0.015 %	<=0,1 %

* LOQ: Limit of Quantification

SPECIFIC MIGRATION of PRIMARY AROMATIC AMINES (PAA)							
COMPOUND	CAS Number	SIMULANT	TIME (h)	TEMP. (°C)	METHOD	DETECTION LIMIT(mg/kg)	REQUIREMENT

4-Aminodiphenyl	92-67-1	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
Benzidine	92-87-5	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4-Chloro-o-toluidine	95-69-2	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
2-Naphthylamine	91-59-8	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
o-Aminoazotoluene	97-56-3	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
2-Amino-4-nitrotoluene	99-55-8	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
p-Chloroaniline	106-47-8	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
2,4-Diaminoanisole	615-05-4	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4,4'-Diaminodiphenylmethane	101-77-9	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
3,3'-Dichlorobenzidine	91-94-1	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
3,3'-Dimethoxybenzidine	119-90-4	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
3,3'-Dimethylbenzidine	119-93-7	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
p-Cresidine	120-71-8	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4,4'-Oxydianiline	101-80-4	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4,4'-Thiodianiline	139-65-1	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
o-Toluidine	95-53-4	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
2,4-Toluylenediamine	95-80-7	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
2,4,5-Trimethylaniline	137-17-7	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
o-Anisidine	90-04-0	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
4-Aminoazobenzene	60-09-3	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND
m-Phenyldiamine	108-45-2	Acetic acid 3%	10 days	40	EN24815 EN2011	0.002	ND

Benzoguanamin	91-76-9	Acetic acid 3%	10 days	40	EN24815 EN2011	0.05	5
4,4'-Methylenebis(3-chloro-2,6-diethylaniline	106246-33-7	Acetic acid 3%	10 days	40	EN24815 EN2011	0.05	0.05
Total of other primary aromatic amines	-	Acetic acid 3%	10 days	40	EN24815 EN2011	0.010	0.010

Analysis Name: Specific migration of Primary Aromatic Amines (*PAA*)

Requirement: European Commission Regulation No. 10/2011 Annex II, Regulation No. 2016/1416, Regulation No. 2020/1245 and Regulation No. 1935/2004 –Specific Migration of Primary Aromatic Amines

Remark: ND = Not detected

SENSORY ANALYSIS		
ANALYSIS NAME	METHOD	REQUIREMENT
Sensory Analysis	DIN 10955	<= 2

No substances with a specific migration limit are used.

The calculations are based on the assumption that 1 kg of food comes into contact with 6 dm² of the packaging material.

Heavy metals: lead, cadmium, mercury and chromium is below the legal limit.

The limit value of 100 mg/kg is not exceeded.

5. OTHER ABSENT SUBSTANCES

Furthermore, we confirm that this compound is manufactured without the intentional use of the following substances:

OTHER ABSENT SUBSTANCES	CAS NO
2,2'-Dimethoxy-2-phenylacetophenone	24650-42-8
2,4-Pentadione (synonyme acetylacetone)	123-54-6
Acrylamide	79-06-1
Antimony trioxide	1309-64-4
Adipates	141-04-8
Adsorbable organically combined halogens (AOX)	106-48-9
Aromatic hydrocarbons (MOAH, "mineral oil aromatic hydrocarbons")	63231-51
Azo dyes	90-04-0
Benzophenone and 4-methylbenzophenone and their derivatives	119-61-9 / 134-84-9
Bisphenol A and its derivatives e.g. Bisphenol A diglycidyl ether (BADGE)	80-05-7
Bisphenol F and its derivatives e.g. Bisphenol F diglycidyl ether (BFDGE)	620-92-8
Bisphenol S and its derivatives	80-09-1
Brominated fire retardants	58965-66-5
Chain- and ring-shaped hydrocarbons (MOSH, "mineral oil saturated hydrocarbons")	Mineralöle MOSH/MOAH

Cobalt(II)-chloride (CAS 7646-79-9 (anhydrous))	7646-79-9 16544-92-6(dihydrate) 7791-13-1(hexahydrate)
Cyanuric acid (1,3,5-triazin-2,4,6-triol)	108-80-5 6202-04-6 (Dihydrate)
Dimethylfumarate (DMF)	624-49-7
Diphenyl-2-ethylhexylphosphate (DPO)	1241-94-7
Ethyl-4-dimethylaminobenzoate	10287-53-3
Elastomers or rubber from which n-nitrosamines may be released	
N-Nitroso-di-benzylamine(NDBzA)	5336-53-8
N-nitrosodibutylamin(NDBA)	924-16-3
N-nitrosodiethanolamine(NDELA)	1116-54-7
N-Nitrosodiethylamine (NDEA)	55-18-5
N-Nitrosodiisobutylamine(NDiBA)	997-95-5
3,5,5-trimetil-N-nitroso-N- (3,5,5-trimetilheksil) -1-heksanamin(NDĪNA)	1207995-62-7
N-Nitrodiisopropylamine(NDĪPA)	601-77-4
N-Nitrosodimethylamine(NDMA)	62-75-9
N-Nitrosodi-n-propylamine(NDPA)	621-64-7
N-Nitrosomorpholine(NMOR)	59-89-2
N-Nitrosoethylphenylamine(NEPHA)	612-64-6
N-Nitroso-N-methylaniline(NMPHA)	614-00-6
N-Nitrosopiperidine(NPIP)	100-75-4
N-Nitrosodiethanolamine(NDELA)	1116-54-7
Epoxidised soybean oil (ESBO)	8013-07-8
Formaldehyde	50-00-0
Halogens	CAS group number VIIA
Primary aromatic amines	-
Isopropylthioxanthone (ITX)	83846-86-0
Latex	9006-04-6
Maleicacid-di-(2-ethylhexyl)-ester	142-16-5
Melamine	108-78-1
Novolac glycidyl ether (NOGE)	158163-01-0
Nanoparticles and -materials (< 100 nm)	7440-22-4
Palm oil	8002-75-3
Propil Parabens	94-13-3
Perfluorinated organic compounds & fluorinated surfactants	-
Perfluorooctanoic acid (PFOA)	335-67-1
Semicarbazide (SEM)	563-41-7
Titan-acetylacetonate (TAA)	14024-64-7
Tributyltin (TBT)	688-73-3
Tributyltin oxide (TBTO)	56-35-9
Tris(4-nonyl-phenyl) phosphite (TNPP)	26523-78-4
Triclosan	3380-34-5
Vinylchlori	75-01-4
Phenols & Phenyphenole	108-95-2 / 90-43-7
Phthalates	CAS number cannot be referred as there are many different compounds
Polycyclic aromatic hydrocarbons (PAHs)	CAS number cannot be referred as there are many different compounds

Monomers & Co-Monomers	CAS NO	SML
Purified Terephthalic Acid (PTA)	100-21-0	7.5 mg/kg
Mono Ethylene Glycol (MEG)	107-21-1	(MEG + DEG) SML: 30 mg/kg
Isophthalic Acid (IPA)	121-91-5	5 mg/kg
Diethylene Glycol (DEG)	111-46-6	(MEG + DEG) SML: 30 mg/kg
Antimony (Sb)	7440-36-0	0.04 mg/kg
Cobalt (Co)	7440-48-4	0.04 mg/kg
Manganase (Mn)	7439-96-5	0.6 mg/kg

- Non-intentionally added substances (NIAS) Under the legislation, overall migration limits of permitted substances are 60 mg/kg and unauthorized substances may be present in food contact materials, provided they do not migrate at levels above 0.01 mg of substance per kg of food. However, there is no common agreed test or methodology for NIAS evaluation. We have worked with our raw material suppliers to identify potential non evaluated substances (NES) that might be present in our products as NIAS. We have had products analyzed at an accredited laboratory for the presence of NIAS and NES. The testing has been conducted under foreseeable conditions of use, and it has been confirmed that the overall migration limit of 60 mg/kg of food was not exceeded by substances permitted under the applicable regulations. If present, NIAS and NES migrating, in amounts of more than the limiting value of 0.01 mg/kg, go through a risk assessment to confirm that the migratory of the substances in the foodstuff has an exposure below the limits and there is a low probability for adverse health effects.

6. DUAL USE ADDITIVES

Substances also authorised as direct food additives ("Dual use additives") are either not used for the manufacturing of this product, kind of not migrating, or only present in quantities that in case of their migration don't allow relevant contribution to exceed of the limits as set in the applicable food legislation.


7. TRACEABILITY

This can be done by referring to traceability by Box Label and/or box stamp which includes

Box Label: Product Code, Product Description, Production Date

Box Stamp: Production date and shift no.

This certificate is valid until there is significant changes in the composition or production that bring about changes in the migration from the materials or articles or when new scientific data becomes available.


General Manager

ENDE LEBENSMITTELUNBEDENKLICHKEITSERKLÄRUNG DES LIEFERANTEN